Typst leipzig-glossing Documentation

Introduction

Interlinear morpheme-by-morpheme glosses are common in linguistic texts to give information about the meanings of individual words and morphemes in the language being studied. A set of conventions called the **Leipzig Glossing Rules** was developed to give linguists a general set of standards and principles for how to format these glosses. The most recent version of these rules can be found in PDF form at <u>this link</u>, provided by the Department of Linguistics at the Max Planck Institute for Evolutionary Anthropology.

There is a staggering variety of LaTex packages designed to properly align and format glosses (including gb4e, ling-macros, linguex, expex, and probably even more). These modules vary in the complexity of their syntax and the amount of control they give to the user of various aspects of formatting. The typst-leipzig-glossing module is designed to provide utilities for creating aligned Leipzig-style glosses in Typst, while keeping the syntax as intuitive as possible and allowing users as much control over how their glosses look as is feasible.

This PDF will show examples of the module's functionality and detail relevant parameters. For more information or to inform devs of a bug or other issue, visit the module's Github repository <u>https://github.com/neunenak/typst-leipzig-glossing</u>

Basic glossing functionality

As a first example, here is a gloss of a text in Georgian, along with the Typst code used to generate it:

```
from "Georgian and the Unaccusative Hypothesis", Alice Harris, 1982
  ბავშვ-ი
             ატირდა
  bavšv-i
             atirda
  child-NOM 3S/cry/INCHO/II
  The child burst out crying
#import "leipzig-gloss.typ": gloss
#gloss(
    header: [from "Georgian and the Unaccusative Hypothesis", Alice Harris,
1982],
    source: ([ბავშვ-ი], [ატირდა]),
    transliteration: ([bavšv-i], [atirda]),
    morphemes: ([child-#smallcaps[nom]], [3S/cry/#smallcaps[incho]/II]),
    translation: [The child burst out crying],
)
```

And an example for English which exhibits some additional styling, and uses imports from another file for common glossing abbreviations:

```
I'm eat-ing your head

1sG.SBJ=to.be eat-PROG 2sG.POSS head

"I'm eating your head!"

#gloss(

source: ([I'm], [eat-ing], [your], [head]),

source-style: (item) => text(fill: red)[#item],

morphemes: ([1#sg.#sbj\=to.be], [eat-#prog], [2#sg.#poss], [head]),

morphemes-style: text.with(size: 10pt, fill: blue),


translation: text(weight: "semibold")[I'm eating your head!],

translation-style: (item) => ["#item"],

)
```

The **#gloss** function has three pre-defined parameters for glossing levels: **source**, **transliteration**, and **morphemes**. It also has two parameters for unaligned text: **header** for text that precedes the gloss, and **translation** for text that follows the gloss.

The morphemes param can be skipped, if you just want to provide a source text and translation, without a gloss:



Note that it is still necessary to wrap the source argument in an array of length one.

Here is an example of a lengthy gloss that forces a line break:

```
Ich arbeite ein Jahr
                         um
                              das
                                    Geld
                                            zu
                                                verdienen,
                                                                  dein
                                                                        Bruder
                                                            das
                                                                                 an
Ι
     work
              one year
                               the
                                    money
                                            to
                                                earn,
                                                            that
                                                                  your
                                                                        brother
                         to
                                                                                 on
einem Wochenende ausgibt.
        weekend
                      spends.
one
"I work one year to earn the money that your brother spends in one weekend"
#gloss(
               ([Ich],[arbeite],[ein],[Jahr],[um],[das],[Geld], [zu],
    source:
[verdienen,],[das], [dein],[Bruder], [an],[einem],[Wochenende],[ausgibt.]),
    source-style: text.with(weight: "bold"),
   morphemes: ([I], [work],[ one], [year],[to],[the],[money],[to],[earn,],
[that],[your],[brother],[on],[one], [weekend],
                                                 [spends.]),
    translation: ["I work one year to earn the money that your brother spends in
one weekend"]
)
```

To add more than three glossing lines, there is an additional parameter additional-lines that can take a list of arbitrarily many more glossing lines, which will appear below those specified in the aforementioned parameters:

```
Hunzib (van den Berg 1995:46)
  ождиг
               хо<sup>н</sup>хе
                        мукъер
  ozdig
               χõχe
                        muq'er
  ož-di-g
               xõxe
                        m-uq'e-r
  boy-obl-ad
              tree(G4)
                        G4-bend-pret
  at boy
               tree
                        bent
   "Because of the boy, the tree bent."
#gloss(
    header: [Hunzib (van den Berg 1995:46)],
    source: ([ождиг],[xo#super[H]xe],[мукъер]),
    transliteration: ([o3dig],[xõxe],[muq'er]),
    morphemes: ([ož-di-g],[xõxe],[m-uq'e-r]),
    additional-lines: (
        ([boy-#smallcaps[obl]-#smallcaps[ad]], [tree(#smallcaps[g4])],
[#smallcaps[g4]-bend-#smallcaps[pret]]),
        ([at boy], [tree], [bent]),
    ),
    translation: ["Because of the boy, the tree bent."]
)
```

Sub-examples can be achieved by using the same **#gloss** function but surrounding each sub-example with parentheses, separated by commas. A global header field for the set can be added.

```
Coptic; transliterated and glossed based on Coptic in 20 lessons (2007) by Layton Bently (§ 28)
  (a) Indefinite articles
      hen-maein
                   mn-hen-špêre
      INDF.PL-sign with-INDF.PL-wonder
      signs and wonders
  (b) Definite articles
      m-maein
                  mn-ne-špêre
      DEF.PL-sign with-DEF.PL-wonder
      the signs and the wonders
  (c) Definite pronouns
      nei-maein
                  mn-nei-špêre
      DEM.PL-sign with-DEM.PL-wonder
      these signs and these wonders
#gloss(
    header: [Coptic; transliterated and glossed based on _Coptic in 20 lessons_
(2007) by Layton Bently (§~28)],
    (
        header: [Indefinite articles],
        source: ([hen-maein], [mn-hen-špêre]),
        morphemes: ([#indf.#pl\-sign], [with-#indf.#pl\-wonder]),
        translation: [signs and wonders]
    ),
    (
        header: [Definite articles],
        source: ([m-maein], [mn-ne-špêre]),
        morphemes: ([#def.#pl\-sign], [with-#def.#pl\-wonder]),
        translation: [the signs and the wonders]
    ),
    (
        header: [Definite pronouns],
        source: ([nei-maein], [mn-nei-špêre]),
        morphemes: ([#dem.#pl\-sign], [with-#dem.#pl\-wonder]),
        translation: [these signs and these wonders]
    ),
)
```

Numbering Glosses

The gloss function takes a boolean parameter numbering which will add an incrementing count to each gloss. A function numbered-gloss is exported for convenience; this is defined as simply #let numbered-gloss = gloss.with(numbering: true), and is called with the same arguments as gloss:

(1) გვ-ფრცქვნ-ი gv-prtskvn-i 1pl.obj-peel-FMNT You peeled us
(2) მ-ფრცქვნ-ი m-prtskvn-i 1sg.obj-peel-fmnt You peeled me
<pre>#gloss(source: ([გვ-ფრცქვნ-o],), transliteration: ([gv-prtskvn-i],), morphemes: ([1#pl.#obj\-peel-#fmnt],), translation: "You peeled us", numbering: true,)</pre>
<pre>#numbered-gloss(source: ([@-@რცქვნ-@],), transliteration: ([m-prtskvn-i],), morphemes: ([1#sg.#obj\-peel-#fmnt],), translation: "You peeled me",)</pre>

The displayed number for numbered glosses is iterated for each numbered gloss that appears throughout the document. Unnumbered glosses do not increment the counter for the numbered glosses.

The gloss count is controlled by the Typst counter variable gloss-count. This variable can be imported from the leipzig-gloss package and manipulated using the standard Typst counter functions to control gloss numbering:

```
(21)from Standard Basque: A Progressive Grammar by Rudolf de Rijk, quoting P. Charriton
Bada beti guregan zorion handi baten nahia.
There always is in us a will for a great happiness.
#gloss-count.update(20)
#numbered-gloss(
    header: [from _Standard Basque: A Progressive Grammar_ by Rudolf de Rijk,
quoting P. Charriton],
    source: ([Bada beti guregan zorion handi baten nahia.],),
    translation: [There always is in us a will for a great happiness.],
)
```

References to individual examples can be achieved using the label argument and the referencing mechanism of Typst:

```
See Example 22:
 (22)Middle Welsh; modified from Grammatical number in Welsh (1999) by Silva Nurmio (§ 2.1.1)
    ac
         ny
               allvs
                                      dewinyon
                                                 atteb
                                                             idav
                                y
    and NEG be_able.pret.3sg def sorcerer.pl answer.inf to.3sg.m
    and the sorcerers could not answer him
As we have seen in Example 22, [...].
 See @sorcerers:
 #numbered-gloss(
     header: [Middle Welsh; modified from Grammatical number in Welsh (1999) by
 Silva Nurmio (§~2.1.1)],
     source: ([ac], [ny], [allvs], [y], [dewinyon], [atteb], [idav]),
     morphemes: ([and], [#neg], [be_able.#smallcaps[pret].3#sg],
 [#smallcaps[def]], [sorcerer.#pl], [answer.#smallcaps[inf]],
 [to.3#sg.#smallcaps[m]]),
     translation: [and the sorcerers could not answer him],
     label: "sorcerers",
     label-supplement: [Example]
 )
 As we have seen in @sorcerers, [...].
```

Labelling uses the Typst **figure** document element. The label-supplement parameter fills in the suppliment parameter of a figure, which is [example] by default. Labelling of sub-examples is possible as well, using the same label and label-supplement fields but within the parentheses surrounding the sub-example in question.

(23)Hausa; from Toward a functional typology of adpositions (2022) by Zygmunt Frajzyngier (§ 3.2)

- (a) àkwai mutànè dà yawà a kanò exist People ASSC many PRED Kano There are a lot of people in Kano.
- (b) àkwai makaĩantā a nan gàrin exist school ркед DEM town There is a school in this town.

In example 23 there are two sub-examples: example 23a deals with people and example 23b with a school.

```
#numbered-gloss(
    header: [Hausa; from Toward a functional typology of adpositions (2022) by
Zygmunt Frajzyngier (§~3.2)],
    label: "hausa",
    (
        source: ([àkwai], [mutānè], [dà], [yawā], [a], [kanō]),
        morphemes: ([exist], [People], [#smallcaps[assc]], [many], [#pred],
[Kano]),
        translation: [There are a lot of people in Kano.],
        label: "people"
    ),
    (
        source: ([àkwai], [makar̃antā], [a], [nan], [gàrin]),
        morphemes: ([exist], [school], [#pred], [#dem], [town]),
        translation: [There is a school in this town.],
        label: "school",
    ),
)
In @hausa there are two sub-examples: @people deals with people and @school with
a school.
```

Styling lines of a gloss

Each of the aforementioned text parameters has a corresponding style parameter, formed by adding -style to its name: header-style, source-style, transliteration-style, morphemes-style, and translation-style. These parameters allow you to specify formatting that should be applied to each entire line of the gloss. This is particularly useful for the aligned gloss itself, since otherwise one would have to modify each content item in the list individually.

In addition to these parameters, Typst's usual content formatting can be applied to or within any given content block in the gloss. Formatting applied in this way will override any contradictory line-level formatting.

```
This text is about eating your head.
                                   head
  ľm
                eat-ing
                          your
  1sg.sbj=to.be eat-prog 2sg.poss head
  I'm eating your head!
#gloss(
   header: [This text is about eating your head.],
   header-style: text.with(weight: "bold", fill: green),
    source: (text(fill:black)[I'm], [eat-ing], [your], [head]),
   source-style: text.with(style: "italic", fill: red),
   morphemes: ([1#sg.#sbj\=to.be], text(fill:black)[eat-#prog], [2#sg.#poss],
[head]),
   morphemes-style: text.with(fill: blue),
   translation: text(weight: "bold")[I'm eating your head!],
)
```

Standard Abbreviations

The Leipzig Glossing Rules define a commonly-used set of short abbreviations for grammatical terms used in glosses, such as ACC for "accusative (case)", or PTCP for "participle" (see "Appendix: List of Standard Abbreviations in the Leipzig Glossing Rules document)

By convention, these are typeset using SMALLCAPS. This package contains a module value abbreviations. Individual abbreviations may be accessed either with Typst field access notation or by importing them from abbreviations:

```
(from Why Caucasian Languages?, by Bernard Comrie, in Endangered Languages of the Caucasus
and Beyond)
[qále-m Ø-kw'-á] ť'ó-r
city-OBL 3sG-go-PRF man-ABS
The man who went to the city.
#import "leipzig-gloss.typ": abbreviations
#import abbreviations: obl, sg, prf
#gloss(
    header: [(from _Why Caucasian Languages?_, by Bernard Comrie, in _Endangered
Languages of the Caucasus and Beyona_)],
    source: ([\[qále-m], [Ø-kw'-á\]], [ť'ó-r]),
    morphemes: ([city-#obl], [3#sg\-go-#prf], [man-#abbreviations.abs]),
    translation: "The man who went to the city."
)
```

The full list of abbreviations is as follows:

Full list of abbreviations

1 - 1 - first person
 2 - 2 - second person
 3 - 3 - third person
 A - a - agent-like argu

- A a agent-like argument of canonical transitive verb
- ABL abl ablative

```
ABS - abs - absolutive
```

ACC - acc - accusative ADJ - adj - adjective ADV - adv - adverb(ial) AGR - agr - agreement ALL - all - allative ANTIP - antip - antipassive APPL - appl - applicative ART - art - article AUX - aux - auxiliary BEN - ben - benefactive CAUS - caus - causative CLF - clf - classifier сом - сот - comitative сомр - comp - complementizer COMPL - compl - completive COND - cond - conditional COP - COp - Copula сvв - cvb - converb DAT - dat - dative DECL - decl - declarative DEF - def - definite DEM - dem - demonstrative DET - det - determiner DIST - dist - distal DISTR - distr - distributive DU - du - dual DUR - dur - durative ERG - erg - ergative EXCL - excl - exclusive F - f - feminine FOC - foc - focus FUT - fut - future GEN - gen - genitive IMP - imp - imperative INCL - incl - inclusive IND - ind - indicative INDF - indf - indefinite INF - inf - infinitive INS - ins - instrumental INTR - intr - intransitive IPFV - ipfv - imperfective IRR - irr - irrealis LOC - loc - locative м - m - masculine N - n - neuter N- - n- - non- (e.g. NSG nonsingular, NPST nonpast) NEG - neg - negation, negative NMLZ - nmlz - nominalizer/nominalization NOM - nom - nominative

овј - obj - object OBL - obl - oblique P - p - patient-like argument of canonical transitive verb PASS - pass - passive PFV - pfv - perfective PL - pl - plural POSS - poss - possessive PRED - pred - predicative PRF - prf - perfect PRS - prs - present PROG - prog - progressive ркон - proh - prohibitive PROX - prox - proximal/proximate PST - pst - past ртср - ptcp - participle PURP - purp - purposive Q - q - question particle/marker QUOT - quot - quotative RECP - recp - reciprocal REFL - refl - reflexive REL - rel - relative RES - res - resultative s - s - single argument of canonical intransitive verb sBJ - sbj - subject sBJV - sbjv - subjunctive sg - sg - singular TOP - top - topic TR - tr - transitive voc - voc - vocative

Custom abbreviations

Custom abbreviations may be defined using the abbreviations.emit-abbreviation function:

```
(from Georgian: A Structural Reference Grammar, by George Hewitt)
g-nax-av-en
you_-see(FUT)_+TS_7-they_11
they will see you

#import "leipzig-gloss.typ": abbreviations
#import abbreviations: obl, sg, prf, fut, emit-abbreviation
#let ts = emit-abbreviation("TS")

#gloss(
    header: [(from _Georgian: A Structural Reference Grammar_, by George
Hewitt)],
    source: ([g-nax-av-en],),
    morphemes: ([you#sub[2]-see(#fut)#sub[4]-#ts#sub[7]-they#sub[11]],),
    translation: "they will see you",
)
```

Building used-abbreviations pages

A user of leipzig-glossing might wish to generate an introductory page displaying which abbreviations were actually used in the document. The abbreviations.with-used-abbreviations function may be used for this purpose; see the abbreviations-used-example.typ file in leipzig-glossing source for an example.

Further Example Glosses

These are the first twelve example glosses given in <u>https://www.eva.mpg.de/lingua/pdf/</u> <u>Glossing-Rules.pdf</u>. along with the Typst markup needed to generate them:

```
(1) Indonesian (Sneddon 1996:237)
Mereka di Jakarta sekarang.
they in Jakarta now
They are in Jakarta now
#numbered-gloss(
    header: [Indonesian (Sneddon 1996:237)],
    source: ([Mereka], [di], [Jakarta], [sekarang.]),
    morphemes: ([they], [in], [Jakarta], [now]),
    translation: "They are in Jakarta now",
)
```

 (2) Lezgian (Haspelmath 1993:207)
 Gila abur-u-n ferma hamišaluğ güğüna amuq'-da-č. now they-OBL-GEN farm forever behind stay-FUT-NEG Now their farm will not stay behind forever.

```
#numbered-gloss(
    header: [Lezgian (Haspelmath 1993:207)],
    source: ([Gila], [abur-u-n], [ferma], [hamišaluğ], [güğüna], [amuq'-da-č.]),
    morphemes: ([now], [they-#obl\-#gen], [farm], [forever], [behind], [stay-
#fut\-#neg]),
    translation: "Now their farm will not stay behind forever.",
)
```

```
    (3) West Greenlandic (Fortescue 1984:127)
    palasi=lu niuirtur=lu
    priest=and shopkeeper=and
    both the priest and the shopkeeper
```

```
#numbered-gloss(
    header: [West Greenlandic (Fortescue 1984:127)],
    source: ([palasi=lu], [niuirtur=lu]),
    morphemes: ([priest=and], [shopkeeper=and]),
    translation: "both the priest and the shopkeeper",
)
```

```
(4) Hakha Lai
a-nii -láay
3sG-laugh-FUT
s/he will laugh
#numbered-gloss(
    header: [Hakha Lai],
    source: ([a-nii -láay],),
    morphemes: ([3#sg\-laugh-#fut],),
    translation: [s/he will laugh],
)
(5) Russian
```

```
Peredelkino
  My s
             Marko poexa-l-i avtobus-om v
  1pl сом Marko go-pst-pl bus-ins
                                          ALL Peredelkino
  we with Marko go-pst-pl bus-by
                                               Peredelkino
                                          to
  Marko and I went to Perdelkino by bus
#numbered-gloss(
    header: [Russian],
    source: ([My], [s], [Marko], [poexa-l-i], [avtobus-om], [v], [Peredelkino]),
    morphemes: ([1#pl], [#com], [Marko], [go-#pst\-#pl], [bus-#ins], [#all],
[Peredelkino]),
    additional-lines: (([we], [with], [Marko], [go-#pst\-#pl], [bus-by], [to],
[Peredelkino]),),
    translation: "Marko and I went to Perdelkino by bus",
)
```

(6) Turkish
 çık-mak
 come.out-INF
 to come out
#numbered-gloss(
 header: [Turkish],
 source: ([cik-mak].).

```
source: ([çık-mak],),
morphemes: ([come.out-#inf],),
translation: "to come out",
)
```

```
(7) Latin
    insul-arum
    island-GEN-PL
    of the islands
#numbered-gloss(
        header: [Latin],
        source: ([insul-aru])
```

```
source: ([insul-arum],),
morphemes: ([island-#gen\-#pl],),
translation: "of the islands",
```

)

)

```
    (8) French

            aux
            chevaux
            to-ART-PL
            horse.PL
            to the horses
```

```
#numbered-gloss(
    header: [French],
```

```
source: ([aux], [chevaux]),
morphemes: ([to-#art\-#pl],[horse.#pl]),
translation: "to the horses",
```

```
(9) German
unser-n Väter-n
our-DAT-PL father.PL-DAT.PL
to our fathers
```

```
#numbered-gloss(
    header: [German],
    source: ([unser-n], [Väter-n]),
    morphemes: ([our-#dat\-#pl],[father.#pl\-#dat.#pl]),
    translation: "to our fathers",
)
```

(10)Hittite (Lehmann 1982:211)
 n=an apedani mehuni essandu.
 CONN=him that.DAT.SG time.DAT.SG eat.they.shall
 They shall celebrate him on that date
#numbered-gloss(
 header: [Hittite (Lehmann 1982:211)],
 source: ([n=an], [apedani], [mehuni],[essandu.]),
 morphemes: ([#smallcaps[conn]=him], [that.#dat.#sg], [time.#dat.#sg],
 [eat.they.shall]),
 translation: "They shall celebrate him on that date",
)

```
(11)Jaminjung (Schultze-Berndt 2000:92)
nanggayan guny-bi-yarluga?
who 2DU.A.3sG.P-FUT-poke
Who do you two want to spear?
#numbered-gloss(
    header: [Jaminjung (Schultze-Berndt 2000:92)],
    source: ([nanggayan], [guny-bi-yarluga?]),
    morphemes: ([who], [2#du.#A.3#sg.#F\-#fut\-poke]),
    translation: "Who do you two want to spear?",
```

)

)

(12)Turkish (cf. 6) çık-mak come_out-INF 'to come out'

#numbered-gloss(

```
header: [Turkish (cf. 6)],
source: ([çık-mak],),
morphemes: ([come_out-#inf],),
translation: ['to come out'],
```